

# Framing Connectors Catalogue

## SMART BRACE TENSIONER

- Two Piece Bracket makes installation quick and easy
- Adjusts with a 5/16 tek driver or phillips head
- No tedious wing nuts
- Designed for all strap ratings
- Made in Australia by FORMM



PRODUCT CODE	DESCRIPTION	CTN QTY
F61201	Carton/250 Bulk Pack (incl. bolts)	250
F61201-10	Carton/10pk x 25bags (incl. bolts)	250

## SMART STRAP BRACING

- Compliance with Australian Builders Code registered
- For roofs, walls, ceilings and floors
- Smart hole pattern gives strap extra strength
- Made in Australia by FORMM



PRODUCT CODE	DESCRIPTION	CTN QTY
F11607-250606	25mm x 0.6mm x 6Mtr	ea
F11607-250615	25mm x 0.6mm x 15Mtr	ea
F11607-250630	25mm x 0.6mm x 30Mtr	ea
F11607-250650	25mm x 0.6mm x 50Mtr	ea
F11607-250806	25mm x 0.8mm x 6Mtr	ea
F11607-250815	25mm x 0.8mm x 15Mtr	ea
F11607-250830	25mm x 0.8mm x 30Mtr	ea
F11607-250850	25mm x 0.8mm x 50Mtr	ea
F11607-300806	30mm x 0.8mm x 6Mtr	ea
F11607-300815	30mm x 0.8mm x 15Mtr	ea
F11607-300830	30mm x 0.8mm x 30Mtr	ea
F11607-300850	30mm x 0.8mm x 50Mtr	ea
F11607-3008100	30mm x 0.8mm x 100Mtr	ea
F11607-301015	30mm x 1.0mm x 15Mtr	ea
F11607-301030	30mm x 1.0mm x 30Mtr	ea
F11607-301050	30mm x 1.0mm x 50Mtr	ea
F11607-301230	30mm x 1.2mm x 30Mtr	ea
F11607-301250	30mm x 1.2mm x 50Mtr	ea
F11607-321230	32mm x 1.2mm x 30Mtr	ea
F11607-321250	32mm x 1.2mm x 50Mtr	ea

## FLAT STRAP BRACING

Pre cut Smart Strap Bracing



PRODUCT CODE	DESCRIPTION	CTN QTY
F11608-300836	30 x 0.8 x 3.6M	500
F11608-300839	30 x 0.8 x 3.9M	500
F11608-301035	30 x 1.0 x 3.5M	500
F11608-301039	30 x 1.0 x 3.9M	500
F11608-301040	30 x 1.0 x 4.0M	500
F11608-301045	30 x 1.0 x 4.5M	500

## ROOF BRACE

Used to brace roof trusses to prevent buckling or rotation of trusses when affected by winds or heavy loads.



PRODUCT CODE	DESCRIPTION	CTN QTY
F11610	6M Lengths, 10 Lengths/ Pack	300

## HITCH BRACKET

Internal wall Hitches are designed to stabilize internal non – load-bearing walls by preventing lateral movement. Hitches are fixed to the top of a non-load bearing wall and the bottom cord of trusses while leaving at least a 10mm gap between the 2 members. The slots allow vertical movement without transferring load to the walls.



PRODUCT CODE	DESCRIPTION	CTN QTY
F22413	Flat Hitch Bracket	100
F22414	Ribbed Hitch Bracket	100



## SUPA ANGLE (MULTIGRIP)

- Can be bent for a variety of applications on site by the builder
- Versatile – one connector does multiple jobs
- Ergonomic Design


PRODUCT CODE	DESCRIPTION	CTN QTY
F80905-57	Minigrip 57mm	200
F80905-100	Multigrip 100mm	200
F80905-115	Multigrip 115mm	150
F80905-135	Multigrip 135mm	100
F80905-135A	Multigrip 135mm Adjustable Angle	100



## HOLD DOWN BRACKET

Smart Hold Down Brackets are a multi-function structural fixing most commonly used when tying roof trusses to wall frames or wall studs to concrete slabs.

PRODUCT CODE	DESCRIPTION	CTN QTY
F22415	Hold Down Bracket	100
F22416	H/D Washer 45 x 45 x 4mm	100



## JACK TRUSS BRACKET

Used for various jack truss connections including Corner Jack Truss to Girder and Jack to Corner Jack.

PRODUCT CODE	DESCRIPTION	CTN QTY
F60514-H	Half Bracket - Single Bend	100
F60515	Full Bracket - Double Bend	100



## I BEAM HANGER

Multi-purpose hanger brackets for connecting I-beams and large joists to framing structures. Meets and exceeds Australian Standards

PRODUCT CODE	DESCRIPTION	CTN QTY
FIBH42180	42 x 180mm	40
FIBH52180	52 x 180mm	40
FIBH62180	62 x 180mm	40
FIBH67180	67 x 180mm	40
FIBH72180	72 x 180mm	40
FIBH93180	93 x 180mm	40
FIBH42200	42 x 200mm	40
FIBH52200	52 x 200mm	40
FIBH62200	62 x 200mm	40
FIBH67200	67 x 200mm	40
FIBH72200	72 x 200mm	40
FIBH93200	93 x 200mm	40
FIBH42220	42 x 220mm	40
FIBH52220	52 x 220mm	40
FIBH62220	62 x 220mm	40
FIBH67220	67 x 220mm	40
FIBH72220	72 x 220mm	40
FIBH93220	93 x 220mm	40
FIBH42240	42 x 240mm	40
FIBH52240	52 x 240mm	40
FIBH62240	62 x 240mm	40
FIBH67240	67 x 240mm	40
FIBH72240	72 x 240mm	40
FIBH93240	93 x 240mm	40
FIBH42300	42 x 300mm	20
FIBH52300	52 x 300mm	20
FIBH62300	62 x 300mm	20
FIBH67300	67 x 300mm	20
FIBH72300	72 x 300mm	20
FIBH93300	93 x 300mm	20
FIBH42360	42 x 360mm	20
FIBH52360	52 x 360mm	20
FIBH62360	62 x 360mm	20
FIBH67360	67 x 360mm	20
FIBH72360	72 x 360mm	20
FIBH93360	93 x 360mm	20
FIBH42400	42 x 400mm	20
FIBH52400	52 x 400mm	20
FIBH62400	62 x 400mm	40
FIBH67400	67 x 400mm	20
FIBH72400	72 x 400mm	20
FIBH93400	93 x 400mm	20


form™



## STINGRAY BRACKET

Stingray Brackets are designed to provide a stronger connection between a wall frame and roof truss. Suitable for higher load demands on the structure.


PRODUCT CODE	DESCRIPTION	CTN QTY
F22418	Stingray Bracket	75



## PUNCHED ANGLE BRACKET

Heavy duty angles for right angle connections.

PRODUCT CODE	DESCRIPTION	CTN QTY
FPA_4040270P2	Punched Angle 40 x 40 x 270mm	60
FPA_40100270P2	Punched Angle 40 x 100 x 270mm	30



## WINSTALL SYSTEM

For neat easy window & door jam installation

- Concealed fixing – no damage caused to visible reveals
- Windows can be installed single-handed, saving labour
- Windows position is easy to adjust after installation
- Prevents window from falling while levelling

PRODUCT CODE	DESCRIPTION	CTN QTY
F90602	L & U Bracket Set	100

## SMART JOIST HANGERS

- Fast Fixing, Multi Purpose Hangers
- User-friendly design with nail spikes for speedy installation



PRODUCT CODE	DESCRIPTION	CTN QTY
FJH3590	35mm x 90mm	45
FJH3890	38mm x 90mm	45
FJH4590	45mm x 90mm	45
FJH5090	50mm x 90mm	45
FJH35120	35mm x 120mm	30
FJH38120	38mm x 120mm	30
FJH45120	45mm x 120mm	30
FJH50120	50mm x 120mm	30
FJH35140	35mm x 140mm	30
FJH38140	38mm x 140mm	30
FJH45140	45mm x 140mm	30
FJH50140	50mm x 140mm	30
FJH35180	35mm x 180mm	30
FJH38180	38mm x 180mm	30
FJH45180	45mm x 180mm	30
FJH50180	50mm x 180mm	30
FJH45220	45mm x 220mm	20
FJH50220	50mm x 220mm	20

## ANGLE BRACKETS – HEAVY DUTY

Multi-purpose right angle connector for internal and external conditions. Made from 3mm mild steel with galvanised finish.



PRODUCT CODE	DESCRIPTION	CTN QTY
VABHD01	40 x 60 x 60mm	50
VABHD02	40 x 60 x 100mm	50
VABHD03	40 x 100 x 100mm	50
VABHD04	80 x 60 x 60mm	50
VABHD05	80 x 60 x 100mm	25
VABHD06	80 x 100 x 100mm	25
VABHD07	120 x 60 x 60mm	25
VABHD08	120 x 60 x 100mm	25
VABHD09	120 x 100 x 100mm	20
VABHD10	160 x 60 x 60mm	25
VABHD11	160 x 60 x 100mm	20
VABHD12	160 x 100 x 100mm	20

## NOGGIN CLIPS - STEEL FRAMING SYSTEM

Self-locking clips for through noggin systems

- Quick to install
- Rigid Fixing



PRODUCT CODE	DESCRIPTION	CTN QTY
F70202	Noggin Clip	500

## INSUL-FIX

- Amazing holding force by design
- Quick & easy to use
- Will not tear or damage foil during installation
- Excellent for thick membrane materials



PRODUCT CODE	DESCRIPTION	CTN QTY
F81006	10 fixers x 50 strips per box	12 Box (6000)

## JOIST STRAP

- Simple connector for joining timber members at right angles
- Built-in nail spike for easy positioning prior to fixing



PRODUCT CODE	DESCRIPTION	CTN QTY
F13516	Joist Strap 175mm	150





## PERGOLA ANGLE

Pergola Angles are a simple, economical and concealed general purpose building bracket. Used predominately for securing rafters and pergola beams when a concealed bracket is preferred.

PRODUCT CODE	DESCRIPTION	CTN QTY
F60513	Pergola Angle - 92 x 36 x 68 x 1.6mm	150



## POST BRACKETS

FORMM Post Brackets are a heavy duty bracket for fixing steel posts to concrete.

PRODUCT CODE	DESCRIPTION	CTN QTY
PB	Post Bracket - 50 x 50 x 65 x 5mm	100



## CYCLONE STRAPS

Tie-downs for purlins and trusses ideal for use in cyclonic and high wind areas.

PRODUCT CODE	DESCRIPTION	CTN QTY
VTCS400	400mm	100
VTCS600	600mm	100
VTCS900	900mm	100

## STRUCTURAL HDG BRACKETS

Multi-purpose equal right-angled brackets ideal for structural capacity connections



PRODUCT CODE	DESCRIPTION	CTN QTY
VABHS01G	75 x 75 x 75 x 6mm	10
VABHS02G	100 x 100 x 100 x 8mm	10
VABHS03G	185 x 100 x 100 x 6mm	10
VABHS04G	250 x 100 x 100 x 6mm	6
VABHS05G	150 x 100 x 100 x 8mm	6
VABHS06G	200 x 100 x 100 x 8mm	6
VABHS07G	200 x 140 x 90 x 8mm	6
VABHS08G	140 x 65 x 65 x 5mm	10
VABHS09G	190 x 65 x 65 x 5mm	10
VABHS10G	240 x 65 x 65 x 5mm	10
VABHS11G	290 x 65 x 65 x 5mm	10
VABHS12G	140 x 75 x 50 x 5mm	10
VABHS13G	190 x 75 x 50 x 5mm	10
VABHS14G	240 x 75 x 50 x 5mm	10
VABHS15G	290 x 75 x 50 x 5mm	10

## PLATES – HD

Heavy Duty plates for connection between flat faces. Made from 3mm thick galvanised steel



PRODUCT CODE	DESCRIPTION	CTN QTY
VPHD120120	120mm x 120mm	25
VPHD120160	120mm x 160mm	25
VPHD12040	120mm x 40mm	50
VPHD12080	120mm x 80mm	25
VPHD160120	160mm x 120mm	25
VPHD160160	160mm x 160mm	25
VPHD16040	160mm x 40mm	50
VPHD16080	160mm x 80mm	25
VPHD200120	200mm x 120mm	20
VPHD200160	200mm x 160mm	15
VPHD20040	200mm x 40mm	50
VPHD20080	200mm x 80mm	25

## HD JOIST STRAPS

Used in load-bearing timber framing applications such as connecting floor joists to bearers. Ideal for wind uplift and load-bearing applications.



PRODUCT CODE	DESCRIPTION	CTN QTY
VTHDJL	31mm x 170mm Left Hand	200
VTHDJR	31mm x 170mm Right Hand	200

## BEARER PLATES

Connector suitable for joining, repair and reinforcement on a flat surface. Made from 1mm thick galvanised steel



PRODUCT CODE	DESCRIPTION	CTN QTY
VTBP80120	80mm x 120mm	100
VTBP80180	80mm x 180mm	100
VTBP80240	80mm x 240mm	50
VTBP80300	80mm x 300mm	50

## TRIPLE GRIPS

multipurpose building brackets ideal for many joints with perpendicular angles.



PRODUCT CODE	DESCRIPTION	CTN QTY
VTTGLH	50 x 60 x 110mm - Left Hand	100
VTTGRH	50 x 60 x 110mm - Right Hand	100

**formm!**

CALL NOW ON: 03 5336 3610

formm.com.au

sales@formm.com.au

5 MICHAELS DR, ALFREDTON VIC 3350



formm!<sup>TM</sup>